

**SureSeal® 200 Series**

<b>Product Name:</b>	<b>SureSeal® 200 Series</b>
<b>Product Type:</b>	One piece, three-ply coextruded liner.
<b>Material:</b>	Low density polyethylene skin top and bottom with foamed polyolefin core.
<b>Composition:</b>	Core and outer skin fusion. Closed cell foam core of LDPE is sandwiched between polyethylene skin. This results in a chemically fused, single polymeric product.
<b>Composition Benefits:</b>	Symmetrical construction - either side serves as the liner face. Single polymeric product - no ply-separation.
<b>Application:</b>	Applications have provided positive sealing for foods, beverages, pharmaceuticals, cosmetics, industrial and household chemicals. For US and EU food contact applications. Complies with European Union EC No 1935/2004, meets the compositional requirements of European Union EU No 10/2011*, complies with European Union EC No 2023/2006
<b>Performance Values:</b>	Excellent sealability and resiliency.
<b>Thickness/Width:</b>	Available in thicknesses of .020" to .060" (+/- .005") Widths from 1.25" to 36" (+/- .03125")
<b>Density:</b>	SureSeal® 222 = 24 < 28 lbs/ft <sup>3</sup> SureSeal® 226 = 26 < 30 lbs/ft <sup>3</sup>
<b>Color:</b>	Custom colors or natural color available upon request.

The information and statements concerning the products as stated in this bulletin are not to be construed as a warranty or representation for which we assume legal responsibility. Empirical testing should be undertaken to determine the suitability for a particular purpose. No warranty of fitness for a particular purpose is made. SureSeal® is a Registered Trademark of J.S. Plastics, Inc. This document is effective from 02/25/2005, revised on 07/26/2024.

\*NAIS testing was not performed.